



Test Report

Applicant : CALLE BALMES 173
40 2A 08006
BARCELONA
SPAIN

Issue Date : Sep 30, 2025

Attn : ELIZABETH

SAMPLE DESCRIPTION AS DECLARED

No. of Sample	One
Fibre Content	-
Material	Fabric
Finishing	-
End Uses	-
Colour	Raw
Style No.	-
Order No./PO No.	-
Standard	-
Buyer's Name	-
Manufacturer's Name	-
Ref	-
Date Received/ Date Test Started	Sep 01, 2025

Approved By:

Intertek Testing Services Hong Kong Limited



Amy Wong

Assistant General Manager

Prepared By: Man Chow

Intertek Testing Services Hong Kong Limited2/F Garment Centre, 576 Castle Peak Road
Kowloon, Hong Kong

Page

2/5

1 Anti-Bacterial Activity Test (Quantitative)

GB/T 20944.3-2008 <Textiles-Determination of antibacterial activity-Part 3: Shake Flask Method

GB/T 20944.3-2008 <Textiles-Determination of antibacterial activity- Part 3: Shake Flask Method>

Sterilization in the autoclave Of Sample Before Test.

Working Solution: 0.03 mol/L PBS

Contact Temperature: 24±1°C

Contact Time: 18 Hours

Test Sample: 0.75g

Test Culture: *Staphylococcus Aureus* (ATCC 6538) *Escherichia coli* (CICC10899) *Candida Albicans* (ATCC 10231)

Test Result:

TEST ORGANISMS	INITIAL CONCENTRATION (CFU/mL)	REDUCTION, %	EVALUATION
<i>Staphylococcus Aureus</i> (ATCC 6538)	2.2×10^4	81.9	HAVE THE ANTIBACTERIAL EFFECT
<i>Escherichia coli</i> (CICC10899)	2.4×10^4	82.5	HAVE THE ANTIBACTERIAL EFFECT
<i>Candida Albicans</i> (ATCC 10231)	1.9×10^4	60.9	HAVE THE ANTIBACTERIAL EFFECT

Sample Received Condition: Sample In Closed Plastic Bag.

Remark:

Evaluation of antibacterial effect:

Staphylococcus aureus and *E.coli* ≥70%, or *C.albicans* ≥60%, Have the antibacterial effect.

Remark : The test was performed by an approved subcontractor laboratory which is part of the Intertek Group.

End of Report

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to the latest version of Intertek's "Decision Rule Information" and is available on Intertek's website. <https://intertekhk.qrd.by/decision-rules-info>. If decision rule already inhereed in the requested specification or standard, Intertek's "Decision Rule Information" is not applicable.

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.